

JETZ™

NRR
27
dB

SLC₈₀
22dB
Class 4



Economical & Effective Protection

Jetz™ are the perfect reusable earplug for any budget. A sharp price point makes them the ideal choice for cost effective hearing protection. An NRR rating 27dB makes Jetz™ an effective solution for most high noise environments. All Moldex hearing protection NRRs and SLC₈₀ data are independently tested in an accredited laboratory.

Compliance Is A Breeze

The brightly colored Jetz™ reusable earplugs feature unique high visibility green swirls plus bright green cord. Exactly what is needed for industrial applications where safety compliance checks are regularly made.

Easy Insertion, All-Day Comfort



The special grip at the end of the plug stem make insertion and removal simple, even when wearing gloves. The extra-soft material provides all-day comfort, gently sealing the ear canal for serious protection without excessive pressure.

Cord Stays Attached

The unique cord attachment with locking loop, helps keep the optional braided cloth cord securely in place.

JETZ™ REUSABLE EARPLUGS

- Extra-soft material and triple flange design seals gently and snugly without pressure
- High visibility unique green swirls plus bright green cord make compliance checks quick and easy
- Cloth cord for a variety of working conditions locks securely to plug
- Plugs can be washed and reused
- Independently tested to ANSI S3.19-1974, NRR 27dB
- Independently tested to AS/NZS 1270, SLC₈₀ 22dB, Class 4
- 100% PVC Free
- The bright green color and the random color pattern are trademarks of Moldex-Metric, Inc.



MOLDEX
Ideas that wear well.®

ATTENUATION DATA / DATOS DE ATENUACIÓN / DONNÉES D'ATTÉNUATION

Tested According to ANSI Specs S3.19-1974 Michael & Assoc., State College, PA.
 Probado de acuerdo a las especificaciones ANSI S3.19-1974 Michael & Assoc., State College, PA.
 Tests Conformes aux Spéc. ANSI S3.19-1974 Michael & Assoc., State College, PA.

Frequency (Hz) Frecuencia (Hz) Fréquence (Hz)	125	250	500	1000	2000	3150	4000	6300	8000		
Mean Attenuation (dB) Atenuación de Dato (dB) Atténuation Moyenne (dB)	33.7	30.1	38.3	35.8	35.0	38.7	38.3	41.8	42.7	NRR 27	CSA AL
Standard Deviation (dB) Desviación Standard (dB) Écart Standard (dB)	5.3	4.2	4.6	2.8	3.0	4.2	3.7	5.0	5.5		

ATTENUATION DATA FOR AUSTRALIA / NEW ZEALAND

Tested According to AS/NZS 1270 by Michael & Assoc.
 Note: For full details of methods of selecting a hearing protector, see AS/NZS 1269.3
 Hearing protector Class 5 tested to AS/NZS 1270. When selected, used and maintained as specified in AS/NZS 1269.3, this protector may be used in noise up to 110dB(A) assuming an 85dB(A) criterion.
 A lower criterion may require a higher protector class.

Frequency (Hz)	125	250	500	1000	2000	4000	8000	
Mean Attenuation (dB)	26.0	22.4	26.7	25.7	27.5	29.7	35.0	SLC₉₀ 22dB, Class 4
Standard Deviation (dB)	7.1	6.3	7.0	5.9	5.4	7.4	9.5	
Mean Minus Standard Deviation (dB)	18.9	16.1	19.8	19.9	22.1	22.3	25.5	

WARNINGS TO USER

1. Jetz™ reusable earplugs must be fitted and worn correctly to provide effective protection
2. Wash or clean hands before use. Plugs should be routinely washed with mild soap and warm water.
3. **CAUTION:** Remove with a slow twisting motion to break the seal. Due to the tight seals, rapid removal may damage eardrum.
4. Use these laboratory derived attenuation data for comparison purposes only. The amount of protection afforded in field use often is significantly lower depending upon how the protectors are fitted and worn.
5. Failure to follow all instructions could result in hearing loss or injury.
6. Failure to obtain a proper fit will reduce effectiveness of hearing protectors and could result in hearing loss or injury.
7. Over protection can be dangerous. The wearer must be able to hear warning signals.
8. Wearers with hearing loss should exercise extreme caution.
9. It is the employer's responsibility to ensure that the type of hearing protector and its rating is appropriate for the user in their particular workplace.
10. Use caution when working around machinery or any other equipment to ensure neck cord does not become caught or entangled.
11. Failure to follow these warnings could result in serious injury or death.
12. Jetz™ earplugs must only be used as part of a hearing conservation program that complies with applicable local safety and health regulations.

PACKAGING

Description	Quantity	Case
6450 Jetz Uncorded	50 Pairs per Box	4 Boxes per Case
6455 Jetz Corded	50 Pairs per Box	4 Boxes per Case

LIMITED WARRANTY – IMPORTANT NOTICE TO PURCHASER

This limited warranty is made in lieu of the warranties of merchantability, fitness for particular purposes and all other warranties, express or implied. There are no other warranties which extend beyond the description on the face hereof. The physical standards and specifications of Moldex will be met by products sold. Exclusive Remedies: damages for the breach of this limited warranty are limited to the replacement of such quantity of Moldex products proved to be defectively manufactured. Except as provided above, Moldex shall not be liable or responsible for any loss, damage, or liability, direct, indirect, incidental, special, or consequential, arising out of sale, use, or misuse, or the inability to use products by the user.

DISTRIBUTED BY:

MOLDEX-METRIC, INC.

10111 W. Jefferson Blvd., Culver City, CA 90232
 Tel: +1 (800) 421-0668 or +1 (310) 837-6500
 Fax: +1 (310) 837-9563
 Email: sales@moldex.com www.moldex.com

CANADIAN CUSTOMER SERVICE

Tel: +1 (800) 421-0668, Ext. 517
 Fax: +1 (310) 837-9563

AUSTRALIA

UNIT 30/14-16 STANTON ROAD, SEVEN HILLS, NSW 2147
 Tel: +61 02 9838 7588 Fax: +61 02 9838 7544
 Email: moldex@bigpond.net.au www.moldex.com

NEW ZEALAND

3 Spence Road, Henderson, Auckland, NZ
 Tel: +64 (9) 837 8247 Fax: +64 (9) 837 8248
 Email: trevorc@moldex.com www.moldex.com

Moldex, Ideas that wear well, the PVC-Free logo and the random color pattern are registered trademarks. Jetz and the bright green color are trademarks of Moldex-Metric, Inc. U.S. Patents Pending.

6450-807 REV A 09/10

